

Blended Roots Inc

220 S Eagle Lane
Oklahoma City, OK 73128
micah@blended-roots.com
(405) 501-0671
Lic. #GAAA-NKJA-A9KX

Sample: 2201HGL0081.0307

Strain: Green Crack

Sample Received: 01/07/2022; Report Created: 01/13/2022
Plant, Flower - Cured, Indoor

Green Crack

Lot#:
Batch#: 1004-1221-1
Batch Size: g



Cannabinoids

Complete


Total THC: 15.23%

Total CBD: 0.05%

Total Cannabinoids: 17.72%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.04	16.47	164.7
Δ9-THC	0.04	0.79	7.9
Δ8-THC	0.04	ND	ND
THCV	0.04	ND	ND
CBDa	0.04	0.06	0.6
CBD	0.04	ND	ND
CBDV	0.04	ND	ND
CBN	0.04	ND	ND
CBGa	0.04	0.32	3.2
CBG	0.04	0.08	0.8
CBC	0.04	ND	ND
Total		17.72	177.2

■ CBG
 ■ CBDa
 ■ CBGa
 ■ THCa
 ■ Δ9-THC



Date Tested: 01/13/2022
 Analysis performed on Agilent Infinity II 1260 HPLC
 Total THC = THCa * 0.877 + d9-THC
 Total CBD = CBDa * 0.877 + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01

Blended Roots Inc

220 S Eagle Lane
Oklahoma City, OK 73128
micah@blended-roots.com
(405) 501-0671
Lic. #GAAA-NKJA-A9KX

Sample: 2201HGL0081.0307

Strain: Green Crack



Sample Received: 01/07/2022; Report Created: 01/13/2022
Plant, Flower - Cured, Indoor

Green Crack

Lot#:
Batch#: 1004-1221-1
Batch Size: g



Terpenes



Analyte	LOQ %	Mass %	Mass mg/g
beta-Caryophyllene	0.01	0.30	3.0
beta-Myrcene	0.01	0.16	1.6
alpha-Pinene	0.01	0.10	1.0
alpha-Humulene	0.01	0.10	1.0
Limonene	0.01	0.07	0.7
beta-Pinene	0.01	0.05	0.5
Farnesene	0.01	0.05	0.5
alpha-Cedrene	0.01	0.04	0.4
Caryophyllene Oxide	0.01	0.04	0.4
Nerolidol	0.01	0.04	0.4
Valencene	0.01	0.03	0.3
Linalool	0.01	0.03	0.3
Endo-Fenchyl Alcohol	0.01	0.03	0.3
alpha-Terpineol	0.01	0.03	0.3
alpha-Bisabolol	0.01	0.02	0.2
Camphene	0.01	0.02	0.2
Cedrol	0.01	0.02	0.2
Geranyl Acetate	0.01	0.01	0.1
alpha-Phellandrene	0.01	ND	ND
alpha-Terpinene	0.01	ND	ND
Borneol	0.01	ND	ND
Camphor	0.01	ND	ND
cis-Ocimene	0.01	ND	ND
delta-3-Carene	0.01	ND	ND
Eucalyptol	0.01	ND	ND
Fenchone	0.01	ND	ND
gamma-Terpinene	0.01	ND	ND
gamma-Terpineol	0.01	ND	ND
Geraniol	0.01	<LOQ	<LOQ
Guaiol	0.01	<LOQ	<LOQ
Hexahydro Thymol	0.01	ND	ND
Isoborneol	0.01	ND	ND
Isopulegol	0.01	ND	ND
Nerol	0.01	ND	ND
Phytol	0.01	ND	ND
Pulegone	0.01	ND	ND
p-Cymene	0.01	ND	ND
Sabinene	0.01	ND	ND
Sabinene Hydrate	0.01	ND	ND
Terpinolene	0.01	ND	ND
trans-Ocimene	0.01	ND	ND
Total		1.14	11.4

Primary Aromas



Date Tested: 01/11/2022; Analysis performed on Agilent 7890A GCFID
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
3 of 3

Blended Roots Inc

220 S Eagle Lane
Oklahoma City, OK 73128
micah@blended-roots.com
(405) 501-0671
Lic. #GAAA-NKJA-A9KX

Sample: 2201HGL0081.0307

Strain: Green Crack

Sample Received: 01/07/2022; Report Created: 01/13/2022
Plant, Flower - Cured, Indoor

Green Crack

Lot#:
Batch#: 1004-1221-1
Batch Size: g



Solvents

Not Tested

Analyte	LOQ	Limit	Results
---------	-----	-------	---------

Microbials

Pass

Analyte	Limit	Results	Status
Yeast & Mold	CFU/g 10000	5500	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 01/12/2022
E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Not Tested

Analyte	LOQ	Limit	Results	Status
---------	-----	-------	---------	--------

Date Tested:
Notes:

Foreign Matter

Not Tested

Notes:

Moisture
8.9%
Complete

Water Activity
0.46100 aw
Complete
Limit: 0.65 Aw

Date Tested:



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01