

Slab Labz

14901 Noble Rd
Glencoe, OK 74032
info@docgreensmmj.com
(970) 379-7083
Lic. #PAAA-E1GY-MM01


Sample: 2101HGL0292.1087

Strain: Gas MAC Sugar

Sample Received: 01/14/2021; Report Created: 01/20/2021
Concentrates & Extracts, Sugar Wax, Butane

Gas MAC Sugar

Lot#:
Batch#: SL-C-113
Batch Size: g




Cannabinoids

Complete

Total THC: 68.46%

Total CBD: ND

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.18	71.44	714.4
Δ9-THC	0.18	5.81	58.1
Δ8-THC	0.18	ND	ND
THCV	0.18	0.25	2.5
CBDa	0.18	<LOQ	<LOQ
CBD	0.18	ND	ND
CBDV	0.18	ND	ND
CBN	0.18	ND	ND
CBGa	0.18	2.12	21.2
CBG	0.18	<LOQ	<LOQ
CBC	0.18	ND	ND
Total		79.61	796.1



Date Tested: 01/20/2021
Analysis performed on Agilent Infinity II 1260 HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM

Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by The Highgrade Testing Lab using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. The Highgrade Testing Lab makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Highgrade Testing Lab. Samples were tested on an as-received basis. The pass/fail limits for contaminants are set by the OMMA. Sample ID with R1 at the end indicates that the sample has been retested.



Certificate of Analysis

Powered by Confident Cannabis
2 of 4

Slab Labz

14901 Noble Rd
Glencoe, OK 74032
info@docgreensmmj.com
(970) 379-7083
Lic. #PAAA-E1GY-MM01

Sample: 2101HGL0292.1087

Strain: Gas MAC Sugar

Sample Received: 01/14/2021; Report Created: 01/20/2021
Concentrates & Extracts, Sugar Wax, Butane

Gas MAC Sugar

Lot#:
Batch#: SL-C-113
Batch Size: g



Terpenes



Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.02	1.95	19.5
Farnesene	0.02	1.87	18.7
Terpinolene	0.02	1.60	16.0
Limonene	0.02	0.88	8.8
Valencene	0.02	0.43	4.3
α-Humulene	0.02	0.43	4.3
Eucalyptol	0.02	0.35	3.5
α-Bisabolol	0.02	0.30	3.0
β-Myrcene	0.02	0.28	2.8
p-Cymene	0.02	0.26	2.6
Geranyl Acetate	0.02	0.21	2.1
α-Terpineol	0.02	0.19	1.9
Linalool	0.02	0.16	1.6
β-Pinene	0.02	0.14	1.4
α-Pinene	0.02	0.10	1.0
Caryophyllene Oxide	0.02	0.07	0.7
Endo-Fenchyl Alcohol	0.02	0.07	0.7
Guaiol	0.02	0.07	0.7
cis-Ocimene	0.02	0.06	0.6
Isoborneol	0.02	0.06	0.6
trans-Nerolidol	0.02	0.05	0.5
α-Cedrene	0.02	NR	NR
α-Phellandrene	0.02	<LOQ	<LOQ
α-Terpinene	0.02	<LOQ	<LOQ
Borneol	0.02	NR	NR
Camphene	0.02	<LOQ	<LOQ
Camphor	0.02	NR	NR
Cedrol	0.02	<LOQ	<LOQ
cis-Nerolidol	0.02	<LOQ	<LOQ
δ-3-Carene	0.02	<LOQ	<LOQ
Fenchone	0.02	NR	NR
γ-Terpinene	0.02	<LOQ	<LOQ
γ-Terpineol	0.02	NR	NR
Geraniol	0.02	NR	NR
Hexahydro Thymol	0.02	NR	NR
Isopulegol	0.02	NR	NR
Nerol	0.02	<LOQ	<LOQ
Pulegone	0.02	NR	NR
Sabinene	0.02	NR	NR
Sabinene Hydrate	0.02	NR	NR
trans-Ocimene	0.02	<LOQ	<LOQ
Total		9.50	95.0

Primary Aromas



Cinnamon



Magnolia



Turpentine



Orange



Hops

Date Tested: 01/19/2021; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com

Lic# LAAA-NKSE-J8CM

Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis

All Rights Reserved

support@confidentcannabis.com

(866) 506-5866

www.confidentcannabis.com



This product has been tested by The Highgrade Testing Lab using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. The Highgrade Testing Lab makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Highgrade Testing Lab. Samples were tested on an as-received basis. The pass/fail limits for contaminants are set by the OMMA. Sample ID with R1 at the end indicates that the sample has been retested.



Certificate of Analysis

Powered by Confident Cannabis
3 of 4

Slab Labz

14901 Noble Rd
Glencoe, OK 74032
info@docgreensmmj.com
(970) 379-7083
Lic. #PAAA-E1GY-MM01

Sample: 2101HGL0292.1087

Strain: Gas MAC Sugar

Sample Received: 01/14/2021; Report Created: 01/20/2021
Concentrates & Extracts, Sugar Wax, Butane

Gas MAC Sugar

Lot#:
Batch#: SL-C-113
Batch Size: g



Solvents

Pass

Analyte	LOQ	Limit	Results
	PPM	PPM	PPM
Acetone	25.000	1000.000	<LOQ
Benzene	1.000	2.000	ND
Butanes	25.000	1000.000	86.338
Ethanol	25.000	5000.000	40.857
Ethyl-Acetate	25.000	1000.000	ND
Heptanes	25.000	1000.000	ND
Hexanes	5.000	60.000	ND
Isopropanol	25.000	1000.000	ND
Methanol	25.000	600.000	ND
Pentane	25.000	1000.000	ND
Propane	25.000	1000.000	ND
Toluene	25.000	180.000	ND
Xylenes	25.000	430.000	ND
Total			127.195

Date Tested: 01/19/2021

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Pass

Notes:

Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus	1	ND	Pass

Date Tested: 01/19/2021

Aerobic plate count performed on 3M Petrifilm Aerobic Count Plates. E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. TNTC = Too Numerous to Count

Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	<LOQ	Pass
Cadmium	25	200	<LOQ	Pass
Lead	25	500	46	Pass
Mercury	10	100	<LOQ	Pass

Date Tested: 01/15/2021

Analysis performed on Agilent 7800 ICP-MS
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com

Lic# LAAA-NKSE-J8CM

Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by The Highgrade Testing Lab using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. The Highgrade Testing Lab makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Highgrade Testing Lab. Samples were tested on an as-received basis. The pass/fail limits for contaminants are set by the OMMA. Sample ID with R1 at the end indicates that the sample has been retested.



Certificate of Analysis

Powered by Confident Cannabis
4 of 4

Slab Labz

14901 Noble Rd
Glencoe, OK 74032
info@docgreensemj.com
(970) 379-7083
Lic. #PAAA-E1GY-MM01

Sample: 2101HGL0292.1087

Strain: Gas MAC Sugar

Sample Received: 01/14/2021; Report Created: 01/20/2021
Concentrates & Extracts, Sugar Wax, Butane

Gas MAC Sugar

Lot#:
Batch#: SL-C-113
Batch Size: g



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrin	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 01/19/2021

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Total Aflatoxins (B1 B2 G1 and G2)	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 01/19/2021

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com

Lic# LAAA-NKSE-J8CM

Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by The Highgrade Testing Lab using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. The Highgrade Testing Lab makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Highgrade Testing Lab. Samples were tested on an as-received basis. The pass/fail limits for contaminants are set by the OMMA. Sample ID with R1 at the end indicates that the sample has been retested.