

## M5 Farm

PO Box 420  
Hennessey, OK 73742  
m5farms@yahoo.com  
(405) 252-9902  
Lic. #GAAA-4YCG-BQDB



Sample: 2103HGL1727.7110

Strain: Mr. Nasty

Sample Received: 03/24/2021; Report Created: 03/29/2021  
Plant, Flower - Cured, Indoor

Mr. Nasty

Lot#: 1907000000010474  
Batch#: 1907000000010474  
Batch Size: g




## Cannabinoids

Complete

Total THC: 27.59%

Total CBD: 0.06%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.05	23.87	238.7
Δ9-THC	0.05	6.65	66.5
Δ8-THC	0.05	ND	ND
THCV	0.05	<LOQ	<LOQ
CBDa	0.05	0.06	0.6
CBD	0.05	ND	ND
CBDV	0.05	ND	ND
CBN	0.05	ND	ND
CBGa	0.05	1.12	11.2
CBG	0.05	0.17	1.7
CBC	0.05	0.06	0.6
<b>Total</b>		<b>31.94</b>	<b>319.4</b>



Date Tested: 03/29/2021

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 4

## M5 Farm

PO Box 420  
Hennessey, OK 73742  
m5farms@yahoo.com  
(405) 252-9902  
Lic. #GAAA-4YCG-BQDB

## Sample: 2103HGL1727.7110

Strain: Mr. Nasty

Sample Received: 03/24/2021; Report Created: 03/29/2021  
Plant, Flower - Cured, Indoor


## Mr. Nasty

Lot#:   
Batch#: 1907000000010474  
Batch Size: g



## Terpenes

- Nerol
- Geraniol
- Limonene
- Linalool
- Farnesene
- Valencene
- β-Pinene
- α-Pinene
- β-Myrcene
- cis-Nerolidol
- α-Humulene
- α-Bisabolol
- α-Terpineol
- Geranyl Acetate
- β-Caryophyllene
- Caryophyllene Oxide
- Endo-Fenchyl Alcohol



## Primary Aromas



Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.01	0.64	6.4
Farnesene	0.01	0.40	4.0
Linalool	0.01	0.23	2.3
α-Humulene	0.01	0.16	1.6
Limonene	0.01	0.14	1.4
α-Terpineol	0.01	0.09	0.9
β-Myrcene	0.01	0.09	0.9
Valencene	0.01	0.08	0.8
Nerol	0.01	0.07	0.7
α-Bisabolol	0.01	0.06	0.6
Endo-Fenchyl Alcohol	0.01	0.06	0.6
Geranyl Acetate	0.01	0.04	0.4
β-Pinene	0.01	0.04	0.4
α-Pinene	0.01	0.02	0.2
Caryophyllene Oxide	0.01	0.02	0.2
cis-Nerolidol	0.01	0.01	0.1
Geraniol	0.01	0.01	0.1
α-Cedrene	0.01	<LOQ	<LOQ
α-Phellandrene	0.01	ND	ND
α-Terpinene	0.01	ND	ND
Borneol	0.01	ND	ND
Camphene	0.01	ND	ND
Camphor	0.01	ND	ND
Cedrol	0.01	<LOQ	<LOQ
cis-Ocimene	0.01	ND	ND
δ-3-Carene	0.01	ND	ND
Eucalyptol	0.01	ND	ND
Fenchone	0.01	ND	ND
γ-Terpinene	0.01	ND	ND
γ-Terpineol	0.01	ND	ND
Guaiol	0.01	<LOQ	<LOQ
Hexahydro Thymol	0.01	ND	ND
Isoborneol	0.01	<LOQ	<LOQ
Isopulegol	0.01	ND	ND
Pulegone	0.01	<LOQ	<LOQ
p-Cymene	0.01	ND	ND
Sabinene	0.01	ND	ND
Sabinene Hydrate	0.01	ND	ND
Terpinolene	0.01	ND	ND
trans-Nerolidol	0.01	<LOQ	<LOQ
trans-Ocimene	0.01	<LOQ	<LOQ
<b>Total</b>		<b>2.16</b>	<b>21.6</b>

Date Tested: 03/29/2021; Analysis performed on Agilent 7890A GCFID  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhardt*

Abigail Burkhardt  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 4

## M5 Farm

PO Box 420  
Hennessey, OK 73742  
m5farms@yahoo.com  
(405) 252-9902  
Lic. #GAAA-4YCG-BQDB

## Sample: 2103HGL1727.7110

Strain: Mr. Nasty

Sample Received: 03/24/2021; Report Created: 03/29/2021  
Plant, Flower - Cured, Indoor

## Mr. Nasty

Lot#:   
Batch#: 1907000000010474  
Batch Size: g



## Solvents

Not Tested

## Microbials

Pass

Analyte	LOQ	Limit	Results
---------	-----	-------	---------

Analyte	Limit	Results	Status
Yeast & Mold	CFU/g 10000	CFU/g ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus	1	ND	Pass

Date Tested: 03/26/2021

Aerobic plate count performed on 3M Petrifilm Aerobic Count Plates. E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. TNTC = Too Numerous to Count

## Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
Arsenic	PPB 25	PPB 200	PPB <LOQ	Pass
Cadmium	25	200	<LOQ	Pass
Lead	25	500	<LOQ	Pass
Mercury	10	100	<LOQ	Pass

Date Tested:  
Notes:

## Foreign Matter

Pass

Notes:

Moisture  
**8.5%**  
Complete

Water Activity  
**0.35950 aw**  
Complete  
Limit: 0.55 Aw

Date Tested: 03/25/2021

Analysis performed on Agilent 7800 ICP-MS  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.



# Certificate of Analysis

Powered by Confident Cannabis  
4 of 4

## M5 Farm

PO Box 420  
Hennessey, OK 73742  
m5farms@yahoo.com  
(405) 252-9902  
Lic. #GAAA-4YCG-BQDB

Sample: 2103HGL1727.7110

Strain: Mr. Nasty

Sample Received: 03/24/2021; Report Created: 03/29/2021  
Plant, Flower - Cured, Indoor

Mr. Nasty

Lot#:   
Batch#: 1907000000010474  
Batch Size: g



## Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrin	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 03/29/2021

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Total Aflatoxins (B1 B2 G1 and G2)	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 03/29/2021

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.